








child safe  
solutions

**domicet**  
domicet.fi


## DOMICET CHILD SAFE BLINDS

update 28.10.2014


## ROLLER BLINDS

	<i>Description</i>	<i>Can be used with</i>	<i>Code</i>
Spring mechanism + speed reducer 	For cordless and safe roller blind control.  Spring mechanism for 20, 25, 28, 32, 36 and 38 mm tube sizes. Speed reducer option for 25, 28 and 32 mm tube sizes	Minispring, Skylight, Vario, Module, Multicassette	See catalogue pages 7-12 and 13
Motorized solution 	For roller blinds.  Available for 28, 36 and 38 mm tube sizes.	Vario, Skylight	See catalogue page 14
Safety Hold 3 	For chain controlled roller blind.  Fitting height to be at least 150 cm from the floor level.	Vario, Module, Multicassette or any chain controlled roller blind	RE0051303, RE0051203 (small pack)
Ball chain holder hook 	For chain controlled roller blind.  Fitting height to be at least 150 cm from the floor level.	Vario, Module, Multicassette or any chain controlled roller blind	553 00 200 (white) 553 00 203 (transparent)
Ball chain holder 	For chain controlled roller blind.  Fitting height to be at least 150 cm from the floor level.	Vario, Module, Multicassette or any roller blind	553 00 310 (transparent)

## PANEL BLINDS

	<i>Description</i>	<i>Can be used with</i>	<i>Code</i>
Wand / hand controlled (manual)			
	<p>Panel blind controlled by plastic wand or by hand (without hazardous operating loops)</p> <p>Hand controlled panel blind does not need any additional components</p>	<p>Panel track (plastic wand)</p>	<p>281 5120 (Wand).</p> <p>Panel components (see catalogue pages 52-53)</p>

## VENETIAN BLINDS

	<i>Description</i>	<i>Can be used with</i>	<i>Code</i>
Integrated control system (POINT)			
	<p>Venetian blind lifting / tilting functions with the same controller. No hazardous loops are formed because only one ball chain is coming through the window frame</p>	<p>Venetian blinds 25 mm (between glasses). Max. blind size for POINT controller is 1,5m<sup>2</sup>.</p>	<p>450 1020 (POINT controller set)</p>

### Ball chain holder



To hold ball chain when pulled through the window frame. Suitable to be used with POINT controller.

POINT integrated controller (450 1010)

570 11 003 (white)  
570 11 021 (brown)  
570 11 030 (grey)

### Cord cleat




Holds cords when blind is fully opened.




Venetian blinds, Pleated blinds

450 8350 (transparent)



Fitting height to be at least 150 cm from the floor level.


	Description	Can be used with	Code
<p>Cord holder</p> 	<p>Holds cords when blind is fully opened.</p> <p>Fitting height to be at least 150 cm from the floor level.</p>	<p>Venetian blinds, Pleated blinds Recommended to use 2 pcs / blind</p>	<p>450 6520 (white) 450 6530 (brown)</p>
<p>Cord clamping button</p> 	<p>Holds cords when blind is fully opened.</p> <p>Fitting height to be at least 150 cm from the floor level.</p>	<p>Venetian blinds, Pleated blinds Recommended to use 2 pcs / blind</p>	<p>450 6500 (white)</p>
<p>Cord collector (Break away device).</p> 	<p>Collects cords (2-4 cords) to a single pull cord. Eliminates hazardous loop(s)</p> <p>Fitting height to be at least 150 cm from the floor level.</p>	<p>Venetian blinds (2-4 pulling cords)</p> <p>For cord thicknesses: 0,8 mm (only with 5,0 mm retaining ring), 1,2 mm and 1,4 mm.</p> <p>Please contact us for detailed installation instructions</p>	<p>450 8400</p>
<p>Cord stop washer 4,3 x 9,0 x 1,5 mm</p>  	<p>1 pcs / pulling cord needed</p> <p>Prevents the inner cords of the blind being pulled to form a hazardous loop.</p> <p>Fitted 50mm from the cord lock</p>	<p>Venetian blinds, Pleated blinds</p>	<p>450 841127 (transparent)</p>
<p>Cord collector + grip</p> 	<p>When max. 5 pulling cords need to be collected to a single pull cord.</p> <p>To be installed 50 mm from the cord lock.</p> <p>Separate cord stops are not needed if this collector collects 5 pulling cords to a single pull cord.</p>	<p>Venetian blinds, Pleated blinds.</p> <p>Cord sizes: 7 x 0,8 mm cords 5 x 1,2 mm cords 5 x 1,4 mm cords</p>	<p>Cord collector: 371 5210 100 (white) 371 5210 200 (grey)</p> <p>Grip: 371 5500 100 (white) 371 5500 200 (grey)</p>

## VERTICAL BLINDS

	<i>Description</i>	<i>Can be used with</i>	<i>Code</i>
Safety Hold 3 tension device 	For chain / cord loop controlled vertical blind.  Fitting height to be at least 150 cm from the floor level.	For vertical blind tilting / moving function. 1 device per each function needed.	RE0051303, RE0051203 (small pack)
Ball chain holder 	For chain / cord loop controlled vertical blind.  Fitting height to be at least 150 cm from the floor level.	For vertical blind tilting / moving function. 1 device per each function needed.	553 00 310 (transparent)
Ball chain holder hook 	For chain / cord loop controlled vertical blind.  Fitting height to be at least 150 cm from the floor level.	For vertical blind tilting / moving function. 1 device per each function needed.	553 00 200 (white) 553 00 203 (transparent)

## PLEATED BLINDS

	<i>Description</i>	<i>Can be used with</i>	<i>Code</i>
Cord collector (Break away device) 	Collects cords (2-4 cords) to a single pull cord. Eliminates hazardous loop(s)  Fitting height to be at least 150 cm from the floor level.  Please contact us for detailed install instructions	Pleated blinds (2-4-pulling cords)  For cord thicknesses: 0,8 mm (only with retaining ring), 1,2 mm and 1,4 mm.	450 8400
Cord stop washer 2,2 x 5,0 x 0,5 mm 	1 pcs / pulling cord needed  Makes possible to use breakaway device (450 8400) for 0,8 mm pull cords  Prevents 0,8 mm cords sliding out of the breakaway device	Cord collector (450 8400)	450 841027 (transparent)

	Description	Can be used with	Code
<p>Cord stop washer 4,3 x 9,0 x 1,5 mm</p>  	<p>1 pcs / pulling cord needed</p> <p>Prevents the inner cords of the blind being pulled to form a hazardous loop.</p> <p>Fitted 50mm from the head rail</p>	Venetian blinds, Pleated blinds	450 841127 (transparent)
<p>Cord collector + grip</p> 	<p>When max. 5 pulling cords need to be collected to a single pulling cord.</p> <p>To be installed 50 mm from the cord lock.</p> <p>Separate cord stops are not needed if this collector collects 5 pulling cords to a single pull cord.</p>	<p>Venetian blinds, Pleated blinds.</p> <p>Cord sizes: 7 x 0,8 mm cords 5 x 1,2 mm cords 5 x 1,4 mm cords</p>	<p>Cord collector: 371 5210 100 (white) 371 5210 200 (grey)</p> <p>Grip: 371 5500 100 (white) 371 5500 200 (grey)</p>
<p>Cord cleat</p> 	<p>Holds cords when blind is fully opened.</p> <p>Fitting height to be at least 150 cm from the floor level.</p>	Venetian blinds, Pleated blinds	450 8350 (transparent)
<p>Cord holder</p> 	<p>Holds cords when blind is fully opened.</p> <p>Fitting height to be at least 150 cm from the floor level.</p>	<p>Venetian blinds, Pleated blinds</p> <p>Recommended to use 2 pcs / blind</p>	450 6520 (white) 450 6530 (brown)
<p>Cord clamping button</p> 	<p>Holds cords when blind is fully opened.</p> <p>Fitting height to be at least 150 cm from the floor level.</p>	<p>Venetian blinds, Pleated blinds</p> <p>Recommended to use 2 pcs / blind</p>	450 6500 (white)