








child safe  
solutions




**domicet**  
domicet.fi

## DOMICET CHILD SAFE BLINDS


update 27.6.2019

## ROLLER BLINDS


	Description	Can be used with	
<p>Spring mechanism + speed reducer</p> 	<p>For cordless and safe roller blind control.</p> <p>Spring mechanisms for 12, 17, 20, 25, 28, 32, 36 and 38 mm tube sizes.</p> <p>Speed reducer option for 17, 25, 28 and 32 mm tube sizes</p>	<p>Micro roller, Minispring, Minicassette, softRoller components, Skylight, Vario, Module, Multicassette</p>	<p>see component catalogue</p>
<p>Motorized solution (RollEase Acmeda)</p> 	<p>New range of motors for roller blinds.</p> <p>Available for 25, 28, 38 and 50 mm tube sizes.</p>	<p>Module, Vario, CF90, Multicassette, Skylight, Skyline components</p>	<p>see component catalogue</p>
<p>Safety Hold 3</p> 	<p>For chain controlled roller blind.</p> <p>Fitting height to be at least 150 cm from the floor level.</p>	<p>Vario, Module, Multicassette, CF90 or any chain controlled roller blind</p>	<p>RE0051303, RE0051203 (small pack)</p>
<p>Ball chain holder hook</p> 	<p>For chain controlled roller blind.</p> <p>Fitting height to be at least 150 cm from the floor level.</p>	<p>Vario, Module, Multicassette, CF90 or any chain controlled roller blind</p>	<p>553 00 200 (white) 553 00 203 (transparent)</p>
<p>Ball chain holder</p> 	<p>For chain controlled roller blind.</p> <p>Fitting height to be at least 150 cm from the floor level.</p>	<p>Vario, Module, Multicassette, minicassette, CF90 or any roller blind</p>	<p>553 00 310 (transparent)</p>

Ball chain holder	For small chain controlled roller blind.	Minicassette or any roller blind with small ball chain (3,2 x 4,2 mm)	570 11 010 (white) 570 11 0101 (brown) 570 11 0102 (grey)
	Fitting height to be at least 150 cm from the floor level.		
Ball chain connector (4,5 mm) (Breakaway)	Break away connection for two ball chain ends	Any roller blind with chain mechanism (4,5 mm ball chain diameter)	551 10 100
	If used with ball chain holder, check clear moving of connector through the holder		
Ball chain connector (3,2 mm) (Break away)	Break away connection for two ball chain ends	Any roller blind with chain mechanism (3,2 mm ball chain diameter)	551 10 460 (white) 551 10 461 (grey)
	If used with ball chain holder, check clear moving of connector through the holder		

## PANEL BLINDS




Wand / hand controlled (manual)	Description	Can be used with	Code
	Panel blind controlled by plastic wand or by hand (without hazardous operating loops)  Hand controlled panel blind does not need any additional components	Panel track (plastic wand)	281 5120 (Wand).  Panel components (see component catalogue)

## VENETIAN BLINDS



Cord cleat	Description	Can be used with	Code
	Holds cords when blind is fully opened.  Fitting height to be at least 150 cm from the floor level.	Venetian blinds, Pleated blinds	450 8350 (transparent)







Cord holder		Holds cords when blind is fully opened.	Venetian blinds, Pleated blinds Recommended to use 2 pcs / blind	450 6520 (white) 450 6530 (brown)
		Fitting height to be at least 150 cm from the floor level.		
Cord clamping button		Holds cords when blind is fully opened.	Venetian blinds, Pleated blinds Recommended to use 2 pcs / blind	450 6500 (white)
		Fitting height to be at least 150 cm from the floor level.		
Cord collector (Break away device).		Collects cords (2-4 cords) to a single pull cord. Eliminates hazardous loop(s)	Venetian blinds (2-4 pulling cords)  For cord thicknesses: 0,8 mm (only with 5,0 mm retaining ring), 1,2 mm and 1,4 mm.	450 8400 450 8402 450 8405 + 450 8406
		Fitting height to be at least 150 cm from the floor level.	Please contact us for detailed installation instructions	
Cord stop washer 4,3 x 9,0 x 1,5 mm		1 pcs / pulling cord needed	Venetian blinds, Pleated blinds	450 841127 (transparent)
		Prevents the inner cords of the blind being pulled to form a hazardous loop.		
		Fitted 50mm from the cord lock		
Cord collector + grip		When max. 5 pulling cords need to be collected to a single pull cord.	Venetian blinds, Pleated blinds.	Cord collector: 371 5210 100 (white) 371 5210 200 (grey)
		To be installed 50 mm from the cord lock.	Cord sizes: 7 x 0,8 mm cords 5 x 1,2 mm cords 5 x 1,4 mm cords	Grip: 371 5500 100 (white) 371 5500 200 (grey)
		Separate cord stops are not needed if this collector collects 5 pulling cords to a single pull cord.		

## VERTICAL BLINDS

	<i>Description</i>	<i>Can be used with</i>	<i>Code</i>
Safety Hold 3 tension device 	For chain / cord loop controlled vertical blind.  Fitting height to be at least 150 cm from the floor level.	For vertical blind tilting / moving function. 1 device per each function needed.	RE0051303, RE0051203 (small pack)
Ball chain holder 	For chain / cord loop controlled vertical blind.  Fitting height to be at least 150 cm from the floor level.	For vertical blind tilting / moving function. 1 device per each function needed.	553 00 310 (transparent)
Ball chain holder hook 	For chain / cord loop controlled vertical blind.  Fitting height to be at least 150 cm from the floor level.	For vertical blind tilting / moving function. 1 device per each function needed.	553 00 200 (white) 553 00 203 (transparent)

## PLEATED BLINDS

	<i>Description</i>	<i>Can be used with</i>	<i>Code</i>
Cord collector (Break away device) 	Collects cords (2-4 cords) to a single pull cord. Eliminates hazardous loop(s)  Fitting height to be at least 150 cm from the floor level.  Please contact us for detailed install instructions	Pleated blinds (2-4-pulling cords)  For cord thicknesses: 0,8 mm (only with retaining ring), 1,2 mm and 1,4 mm.	450 8400 450 8402 450 8405 + 450 8406
Cord stop washer 2,2 x 5,0 x 0,5 mm 	1 pcs / pulling cord needed  Makes possible to use breakaway device (450 8400) for 0,8 mm pull cords  Prevents 0,8 mm cords sliding out of the breakaway device	Cord collector (450 8400)	450 841027 (transparent)

	Description	Can be used with	Code
<p>Cord stop washer 4,3 x 9,0 x 1,5 mm</p>  	<p>1 pcs / pulling cord needed</p> <p>Prevents the inner cords of the blind being pulled to form a hazardous loop.</p> <p>Fitted 50mm from the head rail</p>	Venetian blinds, Pleated blinds	450 841127 (transparent)
<p>Cord collector + grip</p> 	<p>When max. 5 pulling cords need to be collected to a single pulling cord.</p> <p>To be installed 50 mm from the cord lock.</p> <p>Separate cord stops are not needed if this collector collects 5 pulling cords to a single pull cord.</p>	<p>Venetian blinds, Pleated blinds.</p> <p>Cord sizes: 7 x 0,8 mm cords 5 x 1,2 mm cords 5 x 1,4 mm cords</p>	<p>Cord collector: 371 5210 100 (white) 371 5210 200 (grey)</p> <p>Grip: 371 5500 100 (white) 371 5500 200 (grey)</p>
<p>Cord cleat</p> 	<p>Holds cords when blind is fully opened.</p> <p>Fitting height to be at least 150 cm from the floor level.</p>	Venetian blinds, Pleated blinds	450 8350 (transparent)
<p>Cord holder</p> 	<p>Holds cords when blind is fully opened.</p> <p>Fitting height to be at least 150 cm from the floor level.</p>	<p>Venetian blinds, Pleated blinds</p> <p>Recommended to use 2 pcs / blind</p>	450 6520 (white) 450 6530 (brown)
<p>Cord clamping button</p> 	<p>Holds cords when blind is fully opened.</p> <p>Fitting height to be at least 150 cm from the floor level.</p>	<p>Venetian blinds, Pleated blinds</p> <p>Recommended to use 2 pcs / blind</p>	450 6500 (white)